



Durable Solutions for the Agriculture Industry Heavy Machinery, Equipment & Flooring



Protection you can count on.

HEAVY MACHINERY & EQUIPMENT

Protective Coatings offers premium primers and topcoats for refurbishing, protecting and decorating common metal surfaces including light fabricated steelwork, mobile equipment, and industrial machinery.



Luxathane® HPX

- Maintains asset value
- High durability and low maintenance



Quantum® 221

- Maintains asset value with reduced maintenance requirements
- Very high aesthetic appeal for areas of high public scrutiny
- Withstands high UV radiation



Congard®

- Single pack convenience
- No separate primer required for mild environments
- Quickly and easily improves aesthetics



Metalshield® Premium

- Single pack convenience
- Lasts longer than standard alkyd enamels
- Can apply by brush, roller or spray
- Spray cans available for touch ups in a selection of colours



Metalshield® QD Primer

- Touch dry in only 10 minutes, recoat in 2 hours for fast turn around and return to service
- Protects steel against corrosion in mildly corrosive environments



Metalshield® High Build ZP Primer

- Protects steel against corrosion in mild environments
- Ideal where fast turn around time is required.



Durebild® STE

- Can be applied over a wide range of well adhered aged coatings
- Excellent barrier protection for steelwork
- Ideal maintenance coating
- Maintains asset value

CONCRETE FLOORS

Luxafloor is a high performance range of concrete floor coatings suitable for industrial applications such as warehouses and manufacturing facilities.



Luxafloor® LGE

- Low Gloss Two Pack Epoxy
- Ideal for interior areas subject to high wear
 - Easy to apply – good flow out
 - Excellent chemical resistance



Luxafloor® FCF

- Two Pack Topcoat
- Recoat in 2 hours*
 - Faster return to service – full cure in one day*
 - Long pot life – 8 hours*



Luxafloor® PTX

- Gloss Two Pack Polyurethane
- Exterior durable – UV resistant
 - Superior gloss and colour retention
 - Good chemical and abrasion resistance



Scan QR code to see the full range of Luxafloor products

* Times stated are based on temperature of 25°C and 50% relative humidity

Case Studies



Dunstan Farmers Engineering

Dulux Protective Coatings has collaborated with Dunstan Farmers Engineering to deliver effective and durable coating systems for their transit vessels. The specified products are engineered to meet compliance standards, offering exceptional abrasion and chemical resistance to protect these assets in demanding and extreme conditions. Additionally, Dulux Protective Coatings were able to provide product to meet Dunstan's custom colour requirements.



Specified products:

DULUX Metalshield® Primer & Finish / DULUX Quantum® 221 (Custom Colours); DULUX Luxathane® HPX

Kerfab Industries

Kerfab Industries utilises Protective Coatings product Congard for corrosion protection and a decorative finish for its equipment. Congard serves as an economical primer finish, suitable for sheltered or mild environments or for refurbishing after repair. It is a single pack product that does not require a primer, enabling quick improvement of aesthetics with a gloss finish. Congard can be tinted in over 5,000 colours including Black and John Deere Green (pictured).



Specified product:

DULUX Congard®



Specified product:
DULUX Luxafloor® HSG

CAPABILITY

Dulux® Protective Coatings specialises in the development, manufacturing, and supply of market leading, heavy-duty coatings throughout Australia and New Zealand.

With our unwavering commitment to excellence, we have earned the trust of countless customers in delivering high-performance solutions for their coating needs in the agriculture industry.

Our comprehensive product portfolio offers a wide array of coatings suitable for steel and concrete flooring applications and heavy machinery and equipment in commercial and industrial settings.

Specifically designed to endure Australia's harsh and diverse environmental conditions, our coatings deliver long-term protection for a wide range of substrates. They effectively combat deterioration, corrosion, chemical attack, and abrasion, proving their resilience against severe to mildly corrosive chemical, and hot, dry inland environments.

Through the utilisation of world-class technologies, combined with our strong local market presence, extensive experience, and technical expertise, Dulux Protective Coatings stands at the forefront of the industry.

We collaborate with our clients to provide custom, long-lasting and sustainable solutions for protecting new and existing buildings, infrastructure, facilities, and heavy industrial machinery and equipment.

Australia

T 13 23 77

New Zealand

T 0800 800 424

* Dulux, Luxathane, Quantum, Congard, Metalshield, Durebild and Luxafloor are registered trade marks of DuluxGroup (Australia) Pty Ltd.

DuluxGroup (Australia) Pty Ltd (ABN 67 000 049 427)
1956 Dandenong Road, Clayton, 3168, Australia

DuluxGroup (New Zealand) Pty Ltd (ABN 55 133 404 118)
150 Hutt Park Road, Lower Hutt, 5010 New Zealand



www.duluxprotectivecoatings.com.au

Any advice, recommendation, information, assistance or service provided by Dulux Australia in relation to goods manufactured by it or their use and application is given in good faith and is believed by Dulux to be appropriate and reliable at the time of publication. However, any advice, recommendation, information, assistance or service provided by Dulux is provided without liability or responsibility PROVIDED THAT the foregoing shall not exclude, limit, restrict or modify the right entitlements and remedies conferred upon any person or the liabilities imposed upon Dulux by any condition or warranty implied by Commonwealth, State or Territory Act or ordinance void or prohibiting such exclusion limitation or modification. Products can be expected to perform as indicated in this sheet so long as applications and application procedures are as recommended. Specific advice should be sought from Dulux for application in highly corrosive areas and for large projects to ensure proper performance.